

# SAFETY DATA SHEET

## Global Part # A05-256242

Revision Date 29-Jan-2015

Version 1

	1. IDENTIFICATION	
Product identifier		
Product Name	MEDIUM STRENGTH THREADLOCKER BLUE 6 ML	
Other means of identification		
Product Code	24200	
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Sealant	
Uses advised against	No information available	
Details of the supplier of the safety	data sheet	
Manufacturer Address	<u>Distributor</u>	
ITW Permatex	ITW Permatex Canada	
10 Columbus Blvd.	35 Brownridge Road, Unit 1	
Hartford, CT 06106 USA	Halton Hills, ON Canada L7G 0C6	
	Telephone: (800) 924-6994	
Company Phone Number	1-87-Permatex	
	(877) 376-2839	
24 Hour Emergency Phone Number		
	International Emergency:	
	00+1+ 813-248-0585	
	Contract Number: MIS0003453	

## 2. HAZARDS IDENTIFICATION

## **Classification**

## OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

#### Label elements

## **Emergency Overview**

Warning

## 24200 - MEDIUM STRENGTH THREADLOCKER BLUE 6 ML

Harmful if swallowed Harmful in contact with skin Harmful if inhaled Causes skin irritation Causes serious eye irritation Suspected of causing cancer May cause damage to organs through prolonged or repeated exposure Physical state Liquid Odor Mild Appearance Blue **Precautionary Statements - Prevention** Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Wear eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water Call a POISON CENTER or doctor/physician if you feel unwell If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam for extinction

## **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC) Not applicable

## Other Information Not applicable.

Unknown acute toxicity

96.726% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 24200 - MEDIUM STRENGTH THREADLOCKER BLUE 6 ML

#### Substance

Chemical Name	CAS No	Weight-%	Trade Secret
POLYGLYCOL DIMETHACRYLATE	25852-47-5	40 - 70	*
POLYGLYCOL OLEATE	9004-96-0	10 - 30	*
DIMETHYLBENZYL HYDROPEROXIDE	80-15-9	1 - 5	*
SACCHARIN	81-07-2	1 - 5	*
TITANIUM DIOXIDE	13463-67-7	0.1 - 1	*

The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

General advice	Get medical advice/attention if you feel unwell.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	See section 2 for more information.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
	5. FIRE-FIGHTING MEASURES	

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media None.

<u>Specific hazards arising from the chemical</u> None in particular.

Explosion dataSensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required.		
Environmental precautions			
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
7. HANDLING AND STORAGE			
Precautions for safe handling			

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse.

## Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials Strong oxidizing agents, Peroxides, Reducing agent

.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>	
13463-67-7		(vacated) TWA: 10 mg/m <sup>3</sup> total dust		
NIOSH IDLH Immediately Dange	erous to Life or Health			
Other Information	Vacated limits revoked by (11th Cir., 1992).	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).		
Appropriate engineering contro	bls			
Engineering Controls	Showers Eyewash stations Ventilation systems			
Individual protection measures	, such as personal protective	<u>equipment</u>		
Eye/face protection	Wear safety glasses with side shields (or goggles).			
Skin and body protection	Wear protective gloves and protective clothing.			
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.			

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Liquid Blue Mild No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas)	<u>Values</u> Does not apply No information available > 149 °C / 300 °F > 93 °C / > 199 °F No information available No information available	<u>Remarks • Method</u>
Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	No information available No information available n/d >1 1.00-1.15 Insoluble No information available No information available No information available No information available No information available No information available No information available	Air = 1
Oxidizing properties <u>Other Information</u> Softening point Molecular weight VOC Content (%) Density	No information available No information available No information available <2% No information available	
Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties Other Information Softening point Molecular weight VOC Content (%)	No information available No information available No information available No information available n/d >1 1.00-1.15 Insoluble No information available No information available	Air = 1

## **10. STABILITY AND REACTIVITY**

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### **Conditions to avoid**

Excessive heat.

#### Incompatible materials

Strong oxidizing agents, Peroxides, Reducing agent

#### **Hazardous Decomposition Products**

Carbon oxides

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat)4 h
TITANIUM DIOXIDE 13463-67-7	> 10000 mg/kg (Rat)	-	-

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity No information available. No information available.

 Carcinogenicity
 The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
SACCHARIN	-	Group 3	-	-
81-07-2				
TITANIUM DIOXIDE 13463-67-7	-	Group 2B	-	Х

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

## Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	618 mg/kg
ATEmix (dermal)	1778 mg/kg
ATEmix (inhalation-dust/mist)	0.8 mg/l

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

None known

95.986% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	-	3.9: 96 h Oncorhynchus mykiss mg/L LC50 static	7: 24 h Daphnia magna mg/L EC50
SACCHARIN 81-07-2	-	18300: 96 h Pimephales promelas mg/L LC50	-

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### <u>Mobility</u>

No information available.

#### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	<b>RCRA - D Series Wastes</b>	<b>RCRA - U Series Wastes</b>
DIMETHYLBENZYL	-	-	-	U096
HYDROPEROXIDE				
80-15-9				

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Not applicable

Chemical Name	California Hazardous Waste Status	
DIMETHYLBENZYL HYDROPEROXIDE	Toxic	
80-15-9	Ignitable	

## **14. TRANSPORT INFORMATION**

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

## **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Does not comply
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0
SACCHARIN - 81-07-2	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIMETHYLBENZYL	10 lb	-	RQ 10 lb final RQ
HYDROPEROXIDE			RQ 4.54 kg final RQ
80-15-9			

## US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
TITANIUM DIOXIDE - 13463-67-7	Carcinogen
U.S. State Dight to Know Pequilations	

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
DIMETHYLBENZYL HYDROPEROXIDE 80-15-9	Х	X	x
SACCHARIN 81-07-2	Х	X	Х
TITANIUM DIOXIDE 13463-67-7	Х	X	Х
1,4-NAPHTHOQUINONE 130-15-4	Х	X	Х

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA	Health hazards 2	Flammability 1	Instability 0	- Personal protection B
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 29-Jan-2015

**Disclaimer** 

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet