SAFETY DATA SHEET

1. Identification

1. Identification		
Product number	100007416	Global Part # U01-247024
Product identifier	18 OZ BATTERY CLEANER LB 12PK	
Company information	GLOBAL INDUSTRIAL PRODUCTS 13170 NW 43RD AVENUE OPA-LOCKA, FL 33054 United States	
Company phone	General Assistance 305-769-1788	
Emergency telephone US	1-866-836-8855	
Emergency telephone outside US	1-952-852-4646	
Version #	01	
Recommended use	Cleaner	
Recommended restrictions	None known.	
2. Hazard(s) identification		
Physical hazards	Flammable aerosols	Category 1
Health hazards	Not classified.	
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Extremely flammable aerosol.	
Precautionary statement		
Prevention		not surfaces No smoking. Do not spray on an open container: Do not pierce or burn, even after use.
Response	Wash hands after handling.	
Storage	Protect from sunlight. Do not expose to terr	nperatures exceeding 50°C/122°F.
Disposal	Dispose of waste and residues in accordan	ce with local authority requirements.
Hazard(s) not otherwise	None known.	

Hazard(s) not otherwise classified (HNOC) Supplemental information

3. Composition/information on ingredients

None.

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Butane		106-97-8	2.5 - 10
Sodium Bicarbonate		144-55-8	2.5 - 10
2-Butoxyethanol		111-76-2	1 - 2.5
Propane		74-98-6	1 - 2.5
Ammonium Hydroxide		1336-21-6	0.1 - 1
Other components below reportable le	vels		90 - 100

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

SDS US 1 / 10

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media Contents under pressure. Pressurized container may explode when exposed to heat or flame. Specific hazards arising from During fire, gases hazardous to health may be formed. the chemical Firefighters must use standard protective equipment including flame retardant coat, helmet with Special protective equipment and precautions for firefighters face shield, gloves, rubber boots, and in enclosed spaces, SCBA. **Fire-fighting** Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose equipment/instructions holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Use standard firefighting procedures and consider the hazards of other involved materials. Move Specific methods containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes. General fire hazards Extremely flammable aerosol.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment.

Do not re-use empty containers. Do not get in eyes, on skin, or on clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

		Гуре		v	alue
2-Butoxyethanol (CAS 111-76-2)	I	PEL		2	40 mg/m3
					0 ppm
Propane (CAS 74-98-6)	I	PEL			800 mg/m3
				1	000 ppm
US. ACGIH Threshold Lir					
Components	-	Гуре		v	alue
2-Butoxyethanol (CAS 111-76-2)	-	ΓWA		2	0 ppm
Butane (CAS 106-97-8)	:	STEL		1	000 ppm
US. NIOSH: Pocket Guide	e to Chemical Haza	rds			
Components	-	Гуре		V	/alue
2-Butoxyethanol (CAS 111-76-2)	-	ΓWA		2	4 mg/m3
·				5	ppm
Butane (CAS 106-97-8)	-	ΓWA		1	900 mg/m3
					00 ppm
Propane (CAS 74-98-6)	-	ΓWA			800 mg/m3
				1	000 ppm
logical limit values					
ACGIH Biological Expos	ura Indiana				
	ure maices				
Components	Value		Determinant	Specimen	Sampling Time
•		E	Butoxyacetic acid (BAA),	Specimen Creatinine in urine	
Components 2-Butoxyethanol (CAS 111-76-2)	Value 200 mg/g	E a v	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in	
Components 2-Butoxyethanol (CAS	Value 200 mg/g	E a v	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in	
Components 2-Butoxyethanol (CAS 111-76-2) * - For sampling details, ple	Value 200 mg/g	E a v	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in	
Components 2-Butoxyethanol (CAS 111-76-2) * - For sampling details, ple	Value 200 mg/g ease see the source	E a v	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in	
Components 2-Butoxyethanol (CAS 111-76-2) * - For sampling details, ple posure guidelines US - California OELs: Ski 2-Butoxyethanol (CAS	Value 200 mg/g ease see the source in designation & 111-76-2)	E a v docum	Butoxyacetic acid (BAA), with hydrolysis ent. Can be	Creatinine in	ן א ז *
Components 2-Butoxyethanol (CAS 111-76-2) * - For sampling details, ple oosure guidelines US - California OELs: Ski	Value 200 mg/g ease see the source in designation & 111-76-2)	E a v docum	Butoxyacetic acid (BAA), with hydrolysis ent. Can be	Creatinine in urine	ן א ז *
Components 2-Butoxyethanol (CAS 111-76-2) * - For sampling details, pla posure guidelines US - California OELs: Ski 2-Butoxyethanol (CAS US - Minnesota Haz Subs 2-Butoxyethanol (CAS	Value 200 mg/g ease see the source in designation 6 111-76-2) 5: Skin designation 6 111-76-2)	E a v docum	Butoxyacetic acid (BAA), with hydrolysis ent. Can be s	Creatinine in urine	n *
Components 2-Butoxyethanol (CAS 111-76-2) * - For sampling details, ple oosure guidelines US - California OELs: Ski 2-Butoxyethanol (CAS US - Minnesota Haz Subs 2-Butoxyethanol (CAS US - Tennesse OELs: Ski	Value 200 mg/g ease see the source in designation 5 111-76-2) 5: Skin designation 6 111-76-2) in designation	E a v docum	Butoxyacetic acid (BAA), with hydrolysis ent. Can be s	Creatinine in urine absorbed thro	n *
Components 2-Butoxyethanol (CAS 111-76-2) * - For sampling details, ple osure guidelines US - California OELs: Ski 2-Butoxyethanol (CAS US - Minnesota Haz Subs 2-Butoxyethanol (CAS US - Tennesse OELs: Ski 2-Butoxyethanol (CAS	Value 200 mg/g ease see the source in designation 6 111-76-2) 5: Skin designation 6 111-76-2) in designation 6 111-76-2)	E a v docum applie	Butoxyacetic acid (BAA), with hydrolysis ent. Can be s Skin de Can be	Creatinine in urine absorbed thro	n * bugh the skin. ies.
Components 2-Butoxyethanol (CAS 111-76-2) * - For sampling details, ple oosure guidelines US - California OELs: Ski 2-Butoxyethanol (CAS US - Minnesota Haz Subs 2-Butoxyethanol (CAS US - Tennesse OELs: Ski 2-Butoxyethanol (CAS US NIOSH Pocket Guide	Value 200 mg/g ease see the source in designation 5 111-76-2) 5: Skin designation 5 111-76-2) in designation 5 111-76-2) to Chemical Hazard	E a v docum applie	Butoxyacetic acid (BAA), with hydrolysis ent. Can be S Skin de Can be n designation	Creatinine in urine absorbed thro signation appl absorbed thro	n * bugh the skin. ies. bugh the skin.
Components 2-Butoxyethanol (CAS 111-76-2) * - For sampling details, ple oosure guidelines US - California OELs: Ski 2-Butoxyethanol (CAS US - Minnesota Haz Subs 2-Butoxyethanol (CAS US - Tennesse OELs: Ski 2-Butoxyethanol (CAS US NIOSH Pocket Guide 2-Butoxyethanol (CAS	Value 200 mg/g ease see the source in designation 5 111-76-2) 5: Skin designation 5 111-76-2) in designation 5 111-76-2) to Chemical Hazard 5 111-76-2)	E a v docum applie: ds: Skin	Butoxyacetic acid (BAA), with hydrolysis ent. Can be S Skin de Can be n designation Can be	Creatinine in urine absorbed thro signation appl absorbed thro absorbed thro	n * bugh the skin. ies. bugh the skin.
Components 2-Butoxyethanol (CAS 111-76-2) * - For sampling details, play oosure guidelines US - California OELs: Ski 2-Butoxyethanol (CAS US - Minnesota Haz Subs 2-Butoxyethanol (CAS US - Tennesse OELs: Ski 2-Butoxyethanol (CAS US NIOSH Pocket Guide 2-Butoxyethanol (CAS US OSHA Table Z-1 Limit	Value 200 mg/g ease see the source in designation 5 111-76-2) s: Skin designation 5 111-76-2) in designation 5 111-76-2) to Chemical Hazard 5 111-76-2) its for Air Contamir	E a v docum applie: ds: Skin	Butoxyacetic acid (BAA), with hydrolysis ent. Can be S Skin de Can be n designation Can be 29 CFR 1910.100	Creatinine in urine absorbed thro signation appl absorbed thro absorbed thro 0)	n * bugh the skin. ies. bugh the skin. bugh the skin.
Components 2-Butoxyethanol (CAS 111-76-2) * - For sampling details, ple oosure guidelines US - California OELs: Ski 2-Butoxyethanol (CAS US - Minnesota Haz Subs 2-Butoxyethanol (CAS US - Tennesse OELs: Ski 2-Butoxyethanol (CAS US NIOSH Pocket Guide 2-Butoxyethanol (CAS	Value 200 mg/g ease see the source in designation 5 111-76-2) is Skin designation 5 111-76-2) in designation 5 111-76-2) to Chemical Hazard 5 111-76-2) its for Air Contamir 5 111-76-2)	E a v docum applie: ds: Skin nants (2	Butoxyacetic acid (BAA), with hydrolysis ent. Can be S Skin de Can be n designation Can be 29 CFR 1910.100 Can be	Creatinine in urine absorbed thro signation appl absorbed thro absorbed thro 0 absorbed thro	bugh the skin. hough the skin. hough the skin.

Individual protection measures, such as personal protective equipment Eye/face protection Wear safety glasses with side shields (or

ye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear appropriate chemical resistant gloves.

Skin protection	
Other	Wear suitable protective clothing.
Respiratory protection	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

-	•
Appearance	
Physical state	Gas.
Form	Aerosol.
Color	orange
Odor	ammoniacal
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	-156.0 °F (-104.4 °C) Propellant estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	50 psig @70F estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Specific gravity	0.991 estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use. Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Fire or intense heat may cause violent rupture of packages.
Incompatible materials	Strong oxidizing agents.

11. Toxicological information

Information on likely routes of	exposure
Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
	2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity	Expected to be a low hazard for usual industrial or commercial handling by trained personnel.		
Components	Species	Test Results	
2-Butoxyethanol (CAS 111-76	5-2)		
Acute			
Dermal			
LD50	Guinea pig	230 ml/kg, 24 Hours	
		7.3 ml/kg, 4 Days	
	Rabbit	450 ml/kg, 24 Hours	
		435 mg/kg, 24 Hours	
		0.63 ml/kg	
	Rat	> 2000 mg/kg, 24 Hours	
Inhalation			
LC50	Rabbit	400 ppm, 7 Hours	
	Rat	450 ppm, 4 Hours	
Oral			
LD100	Rabbit	695 mg/kg	
LD50	Dog	> 695 mg/kg	
	Guinea pig	1200 mg/kg	
	Rat	530 - 2800 mg/kg	
Butane (CAS 106-97-8)			
Acute			
Inhalation			
LC50	Mouse	1237 mg/l, 120 Minutes	
		52 %, 120 Minutes	
	Rat	1355 mg/l	
Propane (CAS 74-98-6)			
Acute			
Inhalation			
LC50	Mouse	1237 mg/l, 120 Minutes	
		52 %, 120 Minutes	
	Rat	1355 mg/l	
		658 mg/l/4h	

Components	Species	Test Results
Sodium Bicarbonate (CAS 144-55	-8)	
Acute		
Oral		
LD50	Rat	> 4000 mg/kg
* Estimates for product may b	e based on additional compo	nent data not shown.
Skin corrosion/irritation	Prolonged skin contact may	y cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes ma	ay cause temporary irritation.
Respiratory or skin sensitization	n	
Respiratory sensitization	Not a respiratory sensitizer	
Skin sensitization	This product is not expecte	d to cause skin sensitization.
Germ cell mutagenicity	No data available to indicat mutagenic or genotoxic.	e product or any components present at greater than 0.1% are
Carcinogenicity	This product is not conside	red to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall	Evaluation of Carcinogenic	ity
2-Butoxyethanol (CAS 11 OSHA Specifically Regulate		3 Not classifiable as to carcinogenicity to humans. 0.1001-1050)
Not listed.		
Reproductive toxicity	This product is not expecte	d to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard. N	lot likely, due to the form of the product.
Chronic effects	Prolonged inhalation may b	e harmful. May be harmful if absorbed through skin.
		bsorbed through the skin in toxic amounts if contact is repeated and have not been observed in humans.

12. Ecological information

	possibility	that large or frequent spills can have a harmfu	or damaging effect on the environmen
Product		Species	Test Results
18 OZ BATTERY CLE	ANER LB 12PK (C	AS Mixture)	
Aquatic			
Algae	IC50	Algae	16405.7656 mg/L, 72 Hours estimate
Crustacea	EC50	Daphnia	550.8859 mg/L, 48 Hours estimated
Fish	LC50	Fish	1425.9052 mg/l, 96 hours estimated
Components		Species	Test Results
2-Butoxyethanol (CAS	111-76-2)		
Aquatic			
Fish	LC50	Inland silverside (Menidia beryllina)	1250 mg/l, 96 hours
Ammonium Hydroxide	(CAS 1336-21-6)		
Aquatic			
Crustacea	EC50	Daphnia	0.66 mg/L, 48 Hours
Fish	LC50	Western mosquitofish (Gambusia affinis)	15 mg/l, 96 hours
Sodium Bicarbonate (CAS 144-55-8)		
Aquatic			
Crustacea	EC50	Daphnia	2350 mg/L, 48 Hours

Components		Species	Test Results		
Fish	LC50	Western mosquitofish (Gambusia affinis)	7550 mg/l, 96 hours		
* Estimates for product may b	e based on addi	tional component data not shown.			
Persistence and degradability	No data is ava	ailable on the degradability of this product.			
Bioaccumulative potential	No data available.				
Partition coefficient n-octar	nol / water (log l	Kow)			
2-Butoxyethanol		0.83			
Butane	2.89				
Propane	2.36				
Mobility in soil	No data availa	able.			
Other adverse effects		rse environmental effects (e.g. ozone depl ocrine disruption, global warming potential)			
13. Disposal consideratio	ns				

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport information

DO	т	
	UN number	UN1950
	UN proper shipping name Transport hazard class(es)	Aerosols, flammable
	Class	2.1
	Subsidiary risk	-
	Label(s)	None
	Packing group	Not applicable.
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
	Special provisions	N82
	Packaging exceptions	306
	Packaging non bulk	None
	Packaging bulk	None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

ΙΑΤΑ

UN number UN proper shipping name Transport hazard class(es)	UN1950 Aerosols, flammable
Class	2.1
Subsidiary risk	-
Label(s)	None
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.

Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
Packaging Exceptions	LTD QTY
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	None
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	Not available.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Packaging Exceptions	LTD QTY
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

DOT FLAMMA BLE GA: IATA; IMDG

15. Regulatory information

S

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.	
CERCLA Hazardous Substance List (40 CFR 302.4)	
Ammonium Hydroxide (CAS 1336-21-6)	Listed.
SARA 304 Emergency release notification	
Not regulated.	
OSHA Specifically Regulated Substances (29 CFR 19	10.1001-1050)
Not listed.	

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No	
-	Delayed Hazard - No	
	Fire Hazard - Yes	
	Pressure Hazard - Yes	
	Reactivity Hazard - No	

	Reactivity				
SARA 302 Extremely h	azardous substa	nce			
Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Formaldehyde	50-00-0	100	500 lbs		••
SARA 311/312 Hazardo chemical	us No				
SARA 313 (TRI reportin	a)				
Chemical name	5/		CAS number	% by wt.	
Formaldehyde			50-00-0	0.01 - 0.1	
er federal regulations					
Clean Air Act (CAA) Se	ction 112 Hazard	ous Air Polluta	nts (HAPs) List		
Not regulated. Clean Air Act (CAA) Se		dental Release	Prevention (40 CFR 6	8.130)	
Butane (CAS 106-97 Propane (CAS 74-98					
Safe Drinking Water Ac (SDWA)	t Not regulat	ed.			
state regulations					
US. Massachusetts RTI	K - Substance Lis	st			
2-Butoxyethanol (CA Ammonium Hydroxid Butane (CAS 106-97 Brongo (CAS 74 00	de (CAS 1336-21- 7-8)	6)			
Propane (CAS 74-98 US. New Jersey Worker	,	Right-to-Know	v Act		
2-Butoxyethanol (CA	•	Right-to-Rhow			
Ammonium Hydroxid Butane (CAS 106-97	de (CAS 1336-21- 7-8)	6)			
Propane (CAS 74-98 US. Pennsylvania Work		ty Pight to Kno	w Low		
2-Butoxyethanol (CA Ammonium Hydroxid Butane (CAS 106-97 Propane (CAS 74-98 US. Rhode Island RTK	AS 111-76-2) de (CAS 1336-21- 7-8)				
Ammonium Hydroxid Butane (CAS 106-97 Propane (CAS 74-98	7-8)	6)			
US. California Proposit	ion 65				
WARNING: This pro	duct contains a ch	emical known to	the State of California	to cause cancer.	
US - California Pro	position 65 - CRT	: Listed date/C	arcinogenic substanc	e	
Diethanolamine Formaldehyde ((CAS 111-42-2) CAS 50-00-0)		Listed: June 22, 20 Listed: January 1,		
rnational Inventories					
Country(s) or region	Inventory	name			On inventory (yes/no)*
Australia	-		mical Substances (AIC	S)	No
Canada	Domestic S	Substances List ((DSL)		Yes
Canada	Non-Dome	stic Substances	List (NDSL)		No
China			ical Substances in Chir	na (IECSC)	No
-	· • · · · · · · · · · · · · · · · · · ·	3		· · · · /	

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-07-2015
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Product and Company Identification: Alternate Trade Names Regulatory Information: United States