SAFETY DATA SHEET

1. Identification

1. Identification		Global part # U02-248023
Product number	1000025196	
Product identifier	11 OZ GRD BATTERY TERM PROTECT	LB 12PK
Company information	GLOBAL INDUSTRIAL PRODUCTS 13170 NW 43RD AVENUE OPA-LOCKA, FL 33054 United States	
Company phone	General Assistance 305-769-1788	
Emergency telephone US	1-866-836-8855	
Emergency telephone outside US	1-952-852-4646	
Version #	01	
Recommended use	Lubricant	
Recommended restrictions	None known.	
2 Hazard(s) identification		

2. Hazard(s) identification Physical hazards

Physical hazards	Flammable aerosols	Category 1
Health hazards	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Aspiration hazard	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal wordDangerHazard statementExtremely flammable aerosol. May be fatal if swallowed and enters airways. Causes serious eye irritation. May cause drowsiness or dizziness.Precautionary statementKeep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid area. Wear eye/face protection.ResponseIf swallowed: Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Do NOT induce vomiting. If eye irritation persists: Get medical advice/attention.StorageStore in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.DisposalDispose of contents/container in accordance with local/regional/national/international regulations.Hazard(s) not otherwise classified (HNOC)None known.Supplemental informationNone.		\mathbf{v} \mathbf{v} \mathbf{v}
Precautionary statement Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye/face protection. Response If swallowed: Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Do NOT induce vomiting. If eye irritation persists: Get medical advice/attention. Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Disposal Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard(s) not otherwise classified (HNOC) None known.	Signal word	Danger
PreventionKeep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye/face protection.ResponseIf swallowed: Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Do NOT induce vomiting. If eye irritation persists: Get medical advice/attention.StorageStore in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.DisposalDispose of contents/container in accordance with local/regional/national/international regulations.Hazard(s) not otherwise classified (HNOC)None known.	Hazard statement	
flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear eye/face protection.ResponseIf swallowed: Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Do NOT induce vomiting. If eye irritation persists: Get medical advice/attention.StorageStore in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.DisposalDispose of contents/container in accordance with local/regional/national/international regulations. None known.	Precautionary statement	
keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Do NOT induce vomiting. If eye irritation persists: Get medical advice/attention.StorageStore in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.DisposalDispose of contents/container in accordance with local/regional/national/international regulations.Hazard(s) not otherwise classified (HNOC)None known.	Prevention	flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated
sunlight. Do not expose to temperatures exceeding 50°C/122°F. Disposal Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard(s) not otherwise None known. classified (HNOC) Vision of the second secon	Response	keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Do NOT induce vomiting.
Hazard(s) not otherwise None known. classified (HNOC)	Storage	
classified (HNOC)	Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental information None.		None known.
	Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Acetone		67-64-1	20 - 40

Chemical name	Common name and synonyms	CAS number	%
C12-C14 Isoalkanes		68551-19-9	20 - 40
Solvent naphtha (petroleum), light aliph.		64742-89-8	20 - 40
Carbon Dioxide		124-38-9	1 - 2.5
n-Heptane		142-82-5	0.1 - 1
Octane		111-65-9	0.1 - 1
Other components below reportable level	vels		10 - 20

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	If eye irritation persists: Get medical advice/attention.
Ingestion	Call a physician or poison control center immediately. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame.	
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.	
General fire hazards	Extremely flammable aerosol.	
6. Accidental release meas	sures	
Personal precautions, protective equipment and	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing	

protective equipment and emergency procedures	now areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.

Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing mist or vapor. Avoid contact with eyes. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Level 3 Aerosol. Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Acetone (CAS 67-64-1)	PEL	2400 mg/m3	
		1000 ppm	
Carbon Dioxide (CAS 124-38-9)	PEL	9000 mg/m3	
		5000 ppm	
n-Heptane (CAS 142-82-5)	PEL	2000 mg/m3	
		500 ppm	
Octane (CAS 111-65-9)	PEL	2350 mg/m3	
		500 ppm	
ACGIH			
Components	Туре	Value	
Solvent naphtha (petroleum), light aliph. (CAS 64742-89-8)	TWA	400 ppm	
US. ACGIH Threshold Limit Value	S		
Components	Туре	Value	
Acetone (CAS 67-64-1)	STEL	750 ppm	
	TWA	500 ppm	
Carbon Dioxide (CAS 124-38-9)	STEL	30000 ppm	
	TWA	5000 ppm	
n-Heptane (CAS 142-82-5)	STEL	500 ppm	
	TWA	400 ppm	
Octane (CAS 111-65-9)	TWA	300 ppm	
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	
Acetone (CAS 67-64-1)	TWA	590 mg/m3	
		250 ppm	
Carbon Dioxide (CAS 124-38-9)	STEL	54000 mg/m3	
,		30000 ppm	
	TWA	9000 mg/m3	
		5000 ppm	
n-Heptane (CAS 142-82-5)	Ceiling	1800 mg/m3	
,	5	440 ppm	
	TWA	350 mg/m3	
duct name: 11 OZ GRD BATTERY TERM		-	SDS US

US. NIOSH: Pocket Guide to	Chemical Hazards
Components	Type

Components	Туре		Value	
Octane (CAS 111-65-9)		Ceiling		5 ppm 300 mg/m3
				35 ppm
		TWA		50 mg/m3
				5 ppm
Biological limit values				
ACGIH Biological Exposu	re Indices			
Components	Value	Determinant	Specimen	Sampling Time
Acetone (CAS 67-64-1)	50 mg/l	Acetone	Urine	*
* - For sampling details, ple	ase see the source	e document.		
Appropriate engineering controls	should be mat or other engine	ched to conditions. If ap eering controls to mainta s have not been establis	plicable, use pro ain airborne leve	hour) should be used. Ventilation rates beess enclosures, local exhaust ventilation, als below recommended exposure limits. If irborne levels to an acceptable level. Provide
Individual protection measure	s, such as persor	nal protective equipme	ent	
Eye/face protection	Chemical resp	Chemical respirator with organic vapor cartridge and full facepiece.		
Hand protection	Wear appropri	Wear appropriate chemical resistant gloves.		
Skin protection				
Other	Wear suitable	Wear suitable protective clothing.		
Respiratory protection	Chemical resp	Chemical respirator with organic vapor cartridge and full facepiece.		
Thermal hazards	Wear appropri	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	after handling	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

Appearance	
Physical state	Gas.
Form	Aerosol.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	253.84 °F (123.24 °C) estimated
Flash point	193.6 °F (89.8 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	0.9 % estimated
Flammability limit - upper (%)	7 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	191.38 psig @70F estimated
Vapor density	Not available.
Relative density	Not available.

Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	608 °F (320 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Specific gravity	0.476 estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
Inhalation	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Irritation of nose and throat. Aspiration may cause pulmonary edema and pneumonitis. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways. Narcotic effects.		ers airways. Narcotic effects.
Components	Species	Test Results
Acetone (CAS 67-64-1)		
Acute		
Dermal		
LD50	Guinea pig	> 7426 mg/kg, 24 Hours
		> 9.4 ml/kg, 24 Hours
	Rabbit	> 7426 mg/kg, 24 Hours
		> 9.4 ml/kg, 24 Hours
Inhalation		
LC50	Rat	55700 ppm, 3 Hours
		132 mg/l, 3 Hours
		50.1 mg/l
Oral		
LD50	Rat	5800 mg/kg
		2.2 ml/kg
n-Heptane (CAS 142-82-5)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours

Components	Species		Test Results
Inhalation			
LC50	Rat		> 29.29 mg/l, 4 Hours
Octane (CAS 111-65-9)			
Acute			
Dermal			
LD50	Rabbit		> 2000 mg/kg, 24 Hours
Inhalation			
LC50	Rat		> 24.88 mg/l, 4 Hours
Solvent naphtha (petroleum), ligh	t aliph. (CAS 6	4742-89-8)	
Acute			
Dermal	Dabbit		
LD50	Rabbit		> 1900 mg/kg, 24 Hours
Inhalation	Det		> 5020 mg/m2 4 Hours
LC50	Rat		> 5020 mg/m3, 4 Hours
			> 4980 mg/m3
			> 4980 mg/m3, 4 Hours
			> 4.96 mg/l, 4 Hours
Oral			
LD50	Rat		4820 mg/kg
* Estimates for product may	be based on a	dditional component data not shown.	
Skin corrosion/irritation	Not applical	-	
Serious eye damage/eye rritation	Causes ser	ious eye irritation.	
Respiratory or skin sensitizatio	on		
Respiratory sensitization	Not availabl	Not available.	
Skin sensitization	This produc	t is not expected to cause skin sensitiz	ation.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
OSHA Specifically Regulat Not listed.	ed Substance	s (29 CFR 1910.1001-1050)	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	May cause	drowsiness and dizziness.	
Specific target organ toxicity - repeated exposure	Not classifie	ed.	
Aspiration hazard	May be fatal if swallowed and enters airways.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological informatio	n		
Ecotoxicity		aquatic life with long lasting effects.	
Components		Species	Test Results
Acetone (CAS 67-64-1)		•	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	21.6 - 23.9 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout	4740 - 6330 mg/l, 96 hours
		(Oncorhynchus mykiss)	

(Oncorhynchus mykiss)

_

Components		Species	Test Results	
n-Heptane (CAS 142-82-5)				
Aquatic				
Fish	LC50	Mozambique tilapia (Tilapia mossambica)	375 mg/l, 96 hours	
Solvent naphtha (petroleum),	light aliph. (CAS	S 64742-89-8)		
Aquatic				
Algae	IC50	Algae	4700 mg/L, 72 Hours	
-		-	-	
* Estimates for product may b	e based on add	litional component data not shown		
ersistence and degradability	No data is av	ailable on the degradability of this	product.	
ioaccumulative potential	No data avail	No data available.		
Partition coefficient n-octar	nol / water (log	Kow)		
Acetone		-0.24		
n-Heptane		4.66		
Octane		5.18		
obility in soil	No data avail	able.		
ther adverse effects	No other adve	erse environmental effects (e.g. oz	one depletion, photochemical ozone creation	
	potential, end	locrine disruption, global warming	potential) are expected from this component.	
3. Disposal consideratio	ne			
-				
isposal instructions	under pressu sewers/water container. Dis	re. Do not puncture, incinerate or o supplies. Do not contaminate pon	ners at licensed waste disposal site. Contents crush. Do not allow this material to drain into ds, waterways or ditches with chemical or used ordance with local/regional/national/international	
and dianonal regulations	-	regulations.		
ocal disposal regulations	Dispose in accordance with all applicable regulations.			
azardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
US RCRA Hazardous Waste	U List: Refere	nce		
Acetone (CAS 67-64-1)		U002		
Vaste from residues / unused	Dispose of in		Empty containers or liners may retain some	
roducts	product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.			
4. Transport information				
OT				
UN number	UN1950			
UN proper shipping name		nmable, (each not exceeding 1 L c	apacity)	
Transport hazard class(es)	, ter 66616, nan			
Class	2.1			
Subsidiary risk	-			
Label(s)	2.1			
Packing group	Not applicable	<u>a</u>		
			procedures before handling. Read safety	
-p p		SDS and emergency procedures b		
Special provisions	N82		-	
Packaging exceptions	306			
Packaging non bulk	None			
Packaging bulk	None			
Until 12/31/2020, the "Consu mark for packages of UN 195 and may be used now in plac	mer Commodity 0 Aerosols. Lim	- ORM-D" marking may still be use ited quantities require the limited q	quantity and may be shipped as a limited quanti ed in place of the new limited quantity diamond juantity diamond mark on cartons after 12/31/20 and both may be displayed concurrently.	
ΑΤΑ				
UN number	UN1950			
LIN proper shipping name	Aerosols flan	nmahla		

Transport hazard class(es)	
,	0.4
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
Packaging Exceptions	LTD QTY
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	F-D, S-U
	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.
Packaging Exceptions	LTD QTY
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and	
the IBC Code	

the IBC Code

DOT



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substan Acetone (CAS 67-64-1)		Listed.	
SARA 304 Emergency releas Not regulated.			
OSHA Specifically Regulated Not listed.	d Substances (29 CFR 1910.1	001-1050)	
Superfund Amendments and Rea Hazard categories	authorization Act of 1986 (SA Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No	RA)	
SARA 302 Extremely hazard	Reactivity Hazard - No		
Not listed.			
SARA 311/312 Hazardous chemical	No		
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.
Benzene Ethyl Benzene		71-43-2 100-41-4	0.01 - 0.1 0.01 - 0.1
Other federal regulations			
U U	112 Hazardous Air Pollutants	s (HAPs) List	
Not regulated.	112(r) Accidental Release Pro		68.130)
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
Drug Enforcement Adm Chemical Code Number		ntial Chemicals (2	1 CFR 1310.02(b) and 1310.04(f)(2) and
Acetone (CAS 67-64- Drug Enforcement Adm	-1) inistration (DEA). List 1 & 2 E	6532 xempt Chemical N	fixtures (21 CFR 1310.12(c))
Acetone (CAS 67-64- DEA Exempt Chemical N	,	35 %WV	
Acetone (CAS 67-64-	-1)	6532	
US state regulations			
US. Massachusetts RTK - Su	ubstance List		
Acetone (CAS 67-64-1) Carbon Dioxide (CAS 124 n-Heptane (CAS 142-82-5 Octane (CAS 111-65-9)			
•	Community Right-to-Know A	ct	
Acetone (CAS 67-64-1) Carbon Dioxide (CAS 124 n-Heptane (CAS 142-82-8 Octane (CAS 111-65-9)			
· · · · · · · · · · · · · · · · · · ·	d Community Right-to-Know	Law	
Acetone (CAS 67-64-1) Carbon Dioxide (CAS 124 n-Heptane (CAS 142-82-5 Octane (CAS 111-65-9)			
US. Rhode Island RTK			
Acetone (CAS 67-64-1)	F		
US. California Proposition 6 WARNING: This product of reproductive harm.		ne State of Californi	a to cause cancer and birth defects or other
US - California Proposit	ion 65 - CRT: Listed date/Card	cinogenic substan	ice
Benzene (CAS 71-43 Ethyl Benzene (CAS		Listed: February Listed: June 11, 2	
Draduat name: 11 OZ CDD DATTED			

US - California Proposition 65 - CRT: Liste	d date/Developmental toxin
Benzene (CAS 71-43-2)	Listed: December 26, 1997
Toluene (CAS 108-88-3) Listed: January 1, 19	
US - California Proposition 65 - CRT: Lister	d date/Female reproductive toxin
Toluene (CAS 108-88-3)	Listed: August 7, 2009
US - California Proposition 65 - CRT: Lister	d date/Male reproductive toxin
Benzene (CAS 71-43-2)	Listed: December 26, 1997
International Inventories	

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-07-2015
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Product and Company Identification: Alternate Trade Names