

# GLOBAL

## ROLLER CHAIN

(Single & Multi Strand)

**GLOBAL** roller chains feature solid bushings and rollers for maximum wear life. Chains are manufactured to ANSI specifications for assured quality at great value. (Attachments Available)



**RIVETTED**

**COTTERED**

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
510-2135	35-1R ROLLER CHAIN	(B)
510-2140	40-1R ROLLER CHAIN	(B)
510-2141	41-1R ROLLER CHAIN	(B)
510-2150	50-1R ROLLER CHAIN	(B)
510-2160	60-1R ROLLER CHAIN	(B)
510-2180	80-1R ROLLER CHAIN	(B)
510-2235	35-2R ROLLER CHAIN	(B)
510-2240	40-2R ROLLER CHAIN	(B)
510-2250	50-2R ROLLER CHAIN	(B)
510-2260	60-2R ROLLER CHAIN	(B)
510-2280	80-2R ROLLER CHAIN	(B)
510-2335	35-3R ROLLER CHAIN	(B)
510-2340	40-3R ROLLER CHAIN	(B)
510-2350	50-3R ROLLER CHAIN	(B)
510-2360	60-3R ROLLER CHAIN	(B)
510-2380	80-3R ROLLER CHAIN	(B)

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
520-2110	60-1CP ROLLER CHAIN	(B)
520-2120	80-1CP ROLLER CHAIN	(B)
520-2130	100-1CP ROLLER CHAIN	(B)
520-2140	120-1CP ROLLER CHAIN	(B)
520-2150	140-1CP ROLLER CHAIN	(B)
520-2160	160-1CP ROLLER CHAIN	(B)
520-2170	180-1CP ROLLER CHAIN	(B)
520-2180	200-1CP ROLLER CHAIN	(B)
520-2190	240-1CP ROLLER CHAIN	(B)
520-2210	60-2CP ROLLER CHAIN	(B)
520-2220	80-2CP ROLLER CHAIN	(B)
520-2230	100-2CP ROLLER CHAIN	(B)
520-2240	120-2CP ROLLER CHAIN	(B)
520-2250	140-2CP ROLLER CHAIN	(B)
520-2260	160-2CP ROLLER CHAIN	(B)
520-2270	180-2CP ROLLER CHAIN	(B)
520-2280	200-2CP ROLLER CHAIN	(B)
520-2290	240-2CP ROLLER CHAIN	(B)



# GLOBAL

## ROLLER CHAIN LINKS

(Single & Multi Strand)



CONNECTING LINK

PART #	DESCRIPTION	PACK
572-2035	35-1 CONNECTING LINKS	(B)
572-2040	40-1 CONNECTING LINKS	(B)
572-2041	41-1 CONNECTING LINKS	(B)
572-2050	50-1 CONNECTING LINKS	(B)
572-2060	60-1 CONNECTING LINKS	(B)
572-2080	80-1 CONNECTING LINKS	(B)
572-2100	100-1 CONNECTING LINKS	(B)
572-2120	120-1 CONNECTING LINKS	(B)
572-2140	140-1 CONNECTING LINKS	(B)
572-2160	160-1 CONNECTING LINKS	(B)
572-2180	180-1 CONNECTING LINKS	(B)
572-2200	200-1 CONNECTING LINKS	(B)
572-2240	240-1 CONNECTING LINKS	(B)
572-2335	35-2 CONNECTING LINKS	(B)
572-2340	40-2 CONNECTING LINKS	(B)
572-2350	50-2 CONNECTING LINKS	(B)
572-2360	60-2 CONNECTING LINKS	(B)
572-2380	80-2 CONNECTING LINKS	(B)
572-2400	100-2 CONNECTING LINKS	(B)
572-2420	120-2 CONNECTING LINKS	(B)
572-2440	140-2 CONNECTING LINKS	(B)
572-2460	160-2 CONNECTING LINKS	(B)
572-2480	180-2 CONNECTING LINKS	(B)
572-2500	200-2 CONNECTING LINKS	(B)
572-2540	240-2 CONNECTING LINKS	(B)
572-2635	35-3 CONNECTING LINKS	(B)
572-2640	40-3 CONNECTING LINKS	(B)
572-2650	50-3 CONNECTING LINKS	(B)
572-2660	60-3 CONNECTING LINKS	(B)
572-2680	80-3 CONNECTING LINKS	(B)
572-2700	100-3 CONNECTING LINKS	(B)
572-2720	120-3 CONNECTING LINKS	(B)




OFFSET LINK

PART #	DESCRIPTION	PACK
582-2035	35-1 OFFSET LINKS	(B)
582-2040	40-1 OFFSET LINKS	(B)
582-2041	41-1 OFFSET LINKS	(B)
582-2050	50-1 OFFSET LINKS	(B)
582-2060	60-1 OFFSET LINKS	(B)
582-2080	80-1 OFFSET LINKS	(B)
582-2100	100-1 OFFSET LINKS	(B)
582-2120	120-1 OFFSET LINKS	(B)
582-2140	140-1 OFFSET LINKS	(B)
582-2160	160-1 OFFSET LINKS	(B)
582-2180	180-1 OFFSET LINKS	(B)
582-2200	200-1 OFFSET LINKS	(B)
582-2240	240-1 OFFSET LINKS	(B)
582-2335	35-2 OFFSET LINKS	(B)
582-2340	40-2 OFFSET LINKS	(B)
582-2350	50-2 OFFSET LINKS	(B)
582-2360	60-2 OFFSET LINKS	(B)
582-2380	80-2 OFFSET LINKS	(B)
582-2400	100-2 OFFSET LINKS	(B)
582-2420	120-2 OFFSET LINKS	(B)
582-2440	140-2 OFFSET LINKS	(B)
582-2460	160-2 OFFSET LINKS	(B)
582-2480	180-2 OFFSET LINKS	(B)
582-2500	200-2 OFFSET LINKS	(B)
582-2540	240-2 OFFSET LINKS	(B)



# GLOBAL

## SUPER STRENGTH ROLLER CHAIN



Super Strength roller chain has thru-hardened pins and heavy series link plates. Withstand heavy shocks and overloads. Exceptional tensile strength and high fatigue resistance.

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
540-2810	8-80H-CP HI-STRENGTH CHAIN	(B)
540-2820	8-100H-CP HI-STRENGTH CHAIN	(B)
540-2830	8-120H-CP HI-STRENGTH CHAIN	(B)
540-2840	8-140H-CP HI-STRENGTH CHAIN	(B)
540-2850	8-160H-CP HI-STRENGTH CHAIN	(B)

### CONNECTING LINK

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
576-2080	8-80H HI-DUTY CONNECTING LINK	(B)
576-2100	8-100H HI-DUTY CONNECTING LINK	(B)
576-2120	8-120H HI-DUTY CONNECTING LINK	(B)
576-2140	8-140H HI-DUTY CONNECTING LINK	(B)
576-2160	8-160H HI-DUTY CONNECTING LINK	(B)


### OFFSET LINK

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
586-2080	8-80H HI-DUTY OFFSET LINKS	(B)
586-2100	8-100H HI-DUTY OFFSET LINKS	(B)
586-2120	8-120H HI-DUTY OFFSET LINKS	(B)
586-2140	8-140H HI-DUTY OFFSET LINKS	(B)
586-2160	8-160H HI-DUTY OFFSET LINKS	(B)



# GLOBAL

## HEAVY SERIES ROLLER CHAIN



Hitachi Heavy Series roller chains are provided with greater shock and wear resistance and high breaking strength for general purpose applications. The side plate thickness is equal to the next larger ANSI roller chains and through hardened high tensile structural steel pins realize strong transmission in limited equipment space, showing excellent shock absorption and fatigue strength and high ultimate strength of as much as 110-120%.

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
550-2110	60H-CP H.D. ROLLER CHAIN	(B)
550-2120	80H-CP H.D. ROLLER CHAIN	(B)
550-2130	100H-CP H.D. ROLLER CHAIN	(B)
550-2140	120H-CP H.D. ROLLER CHAIN	(B)
550-2150	140H-CP H.D. ROLLER CHAIN	(B)
550-2160	160H-CP H.D. ROLLER CHAIN	(B)
550-2210	60H-2CP H.D. ROLLER CHAIN	(B)
550-2220	80H-2CP H.D. ROLLER CHAIN	(B)
550-2230	100H-2CP H.D. ROLLER CHAIN	(B)
550-2240	120H-2CP H.D. ROLLER CHAIN	(B)
550-2250	140H-2CP H.D. ROLLER CHAIN	(B)
550-2260	160H-2CP H.D. ROLLER CHAIN	(B)

### CONNECTING LINK

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
576-2260	60H-2 HI-DUTY CONNECTING LINK	(B)
576-2280	80H-2 HI-DUTY CONNECTING LINK	(B)
576-2300	100H-2 HI-DUTY CONNECTING LINK	(B)
576-2320	120H-2 HI-DUTY CONNECTING LINK	(B)
576-2340	140H-2 HI-DUTY CONNECTING LINK	(B)
576-2360	160H-2 HI-DUTY CONNECTING LINK	(B)

### OFFSET LINK

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
586-2260	60H-2 HI-DUTY OFFSET LINKS	(B)
586-2280	80H-2 HI-DUTY OFFSET LINKS	(B)
586-2300	100H-2 HI-DUTY OFFSET LINKS	(B)
586-2320	120H-2 HI-DUTY OFFSET LINKS	(B)
586-2340	140H-2 HI-DUTY OFFSET LINKS	(B)
586-2360	160H-2 HI-DUTY OFFSET LINKS	(B)



# GLOBAL CONVEYOR ROLLER CHAIN



Conveyor series chains have rollers of the same diameter and widths as those of ANSI roller chains, but the pitch of the chain is twice that of the corresponding ANSI standard chains.

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
560-2040	C2040R CONVEYR ROLLER CHAIN	(B)
560-2050	C2050R CONVEYR ROLLER CHAIN	(B)
560-2060	C2060H-R CONVEYR ROLLER CHAIN	(B)
560-2080	C2080H-CP CONVEYR ROLLER CHAIN	(B)
560-2100	C2100H-CP CONVEYR ROLLER CHAIN	(B)
560-2120	C2120H-CP CONVEYR ROLLER CHAIN	(B)
560-2160	C2160H-CP CONVEYR ROLLER CHAIN	(B)

## CONNECTING LINK

## OFFSET LINK

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>	<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
578-2040	C2040 CONVEYOR CONNECTING LINK	(B)	588-2040	C2040 CONVEYOR OFFSET LINKS	(B)
578-2050	C2050 CONVEYOR CONNECTING LINK	(B)	588-2050	C2050 CONVEYOR OFFSET LINKS	(B)
578-2060	C2060 CONVEYOR CONNECTING LINK	(B)	588-2060	C2060H CONVEYOR OFFSET LINKS	(B)
578-2080	C2080 CONVEYOR CONNECTING LINK	(B)	588-2080	C2080H CONVEYOR OFFSET LINKS	(B)
578-2100	C2100 CONVEYOR CONNECTING LINK	(B)	588-2100	C2100H CONVEYOR OFFSET LINKS	(B)
578-2120	C2120 CONVEYOR CONNECTING LINK	(B)	588-2120	C2120H CONVEYOR OFFSET LINKS	(B)
578-2160	C2160 CONVEYOR CONNECTING LINK	(B)	588-2160	C2160H CONVEYOR OFFSET LINKS	(B)



# UNIVERSAL PARTS

# GLOBAL ROLLER CHAIN



**Standard Duty roller chain manufactured to ANSI specifications for assured quality at great value. Made from carefully selected materials.**

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
592-4035	35 SDRC ROLLER CHAIN	(B)
592-4040	40 SDRC ROLLER CHAIN	(B)
592-4041	41 SDRC ROLLER CHAIN	(B)
592-4050	50 SDRC ROLLER CHAIN	(B)
592-4060	60 SDRC ROLLER CHAIN	(B)
592-4080	80 SDRC ROLLER CHAIN	(B)
592-4240	A2040 ROLLER CHAIN	(B)
592-4250	A2050 ROLLER CHAIN	(B)

## CONNECTING LINK

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
594-4035	35 SDRC CONNECTING LINKS	(B)
594-4040	40 SDRC CONNECTING LINKS	(B)
594-4041	41 SDRC CONNECTING LINKS	(B)
594-4050	50 SDRC CONNECTING LINKS	(B)
594-4060	60 SDRC CONNECTING LINKS	(B)
594-4080	80 SDRC CONNECTING LINKS	(B)
594-4240	A2040 SDRC CONNECTING LINKS	(B)
594-4250	A2050 SDRC CONNECTING LINKS	(B)

## OFFSET LINK

<u>PART #</u>	<u>DESCRIPTION</u>	<u>PACK</u>
596-4035	35 SDRC OFFSET LINKS	(B)
596-4040	40 SDRC OFFSET LINKS	(B)
596-4041	41 SDRC OFFSET LINKS	(B)
596-4050	50 SDRC OFFSET LINKS	(B)
596-4060	60 SDRC OFFSET LINKS	(B)
596-4080	80 SDRC OFFSET LINKS	(B)
596-4240	A2040 SDRC OFFSET LINKS	(B)
596-4250	A2050 SDRC OFFSET LINKS	(B)



## GLOBAL INDUSTRIAL PRODUCTS