

maintenance jobs made easier with **GLOBAL SELF-LOCKING PINS** ... the multi-purpose fasteners

“Maintenance Engineered” to save you time and money!

IMPOTANT ADVANTAGES

TAPS QUICKLY & EASILY INTO PLACE – SAVES TIME
REUSEABLE – SAVES YOU MONEY

- Simply tap **GLOBAL SELF-LOCKING PINS** in place. Powerful spring tension locks pin tightly into position. Yet, they are easily removed without damaging original hole . . . and they can be used again and again.


GREATER HOLDING POWER FOR TIGHTER ASSEMBLIES

- **GLOBAL SELF-LOCKING PINS** have a shear strength greater than the fasteners they replace. They hold better, and last longer too!

MANY APPLICATIONS – REDUCE YOUR INVENTORIES

- Reduce your inventories! No need to hunt for one particular fastener. **SELF-LOCKING PINS** replace at least 8 different fasteners! . . . And you’re sure to find many other applications.

TYPICAL APPLICATIONS for SELF-LOCKING PINS



Reduce your Downtime and Maintenance costs with
GLOBAL SELF-LOCKING PINS
THE MULTI-PURPOSE FASTENERS FOR MAINTENANCE



GLOBAL INDUSTRIAL PRODUCTS

UNIVERSAL PARTS

GLOBAL SLOTTED SPRING PINS



- Used in place of pins, dowels, rivets, and other special fasteners
- Economical & Time Saving
- **Impregno-plated** for maximum protection against rust and corrosion.

PART #	DESCRIPTION	PACK	PART #	DESCRIPTION	PACK
U14-341144	1/16X1/4 SELF-LOC ROLL PIN IM	(BAA)	U14-341206	7/32X3/4 SELF-LOC ROLL PIN IM	(FA)
U14-341146	1/16X1/2 SELF-LOC ROLL PIN IM	(BAA)	U14-341208	7/32X1" SELF-LOC ROLL PIN IM	(FA)
U14-341148	1/16X3/4 SELF-LOC ROLL PIN IM	(BAA)	U14-341210	7/32X1-1/4SELF-LOC ROLL PIN IM	(FA)
U14-341150	1/16X1" SELF-LOC ROLL PIN IM	(BAA)	U14-341212	7/32X1-1/2SELF-LOC ROLL PIN IM	(FA)
U14-341152	5/64X1/4 SELF-LOC ROLL PIN IM	(BAA)	U14-341214	7/32X2" SELF-LOC ROLL PIN IM	(FA)
U14-341154	5/64X1/2 SELF-LOC ROLL PIN IM	(BAA)	U14-341215	1/4 X1/2 SELF-LOC ROLL PIN IM	(FA)
U14-341158	5/64X3/4 SELF-LOC ROLL PIN IM	(BAA)	U14-341216	1/4 X3/4 SELF-LOC ROLL PIN IM	(FA)
U14-341162	5/64X1" SELF-LOC ROLL PIN IM	(BAA)	U14-341218	1/4 X1" SELF-LOC ROLL PIN IM	(FA)
U14-341164	3/32X1/4 SELF-LOC ROLL PIN IM	(BAA)	U14-341220	1/4 X1-1/4SELF-LOC ROLL PIN IM	(FA)
U14-341166	3/32X1/2 SELF-LOC ROLL PIN IM	(BAA)	U14-341224	1/4 X1-1/2SELF-LOC ROLL PIN IM	(FA)
U14-341168	3/32X3/4 SELF-LOC ROLL PIN IM	(BAA)	U14-341226	1/4 X1-3/4SELF-LOC ROLL PIN IM	(FA)
U14-341170	3/32X1" SELF-LOC ROLL PIN IM	(BAA)	U14-341228	1/4 X2" SELF-LOC ROLL PIN IM	(FA)
U14-341171	3/32X1-1/4SELF-LOC ROLL PIN IM	(BAA)	U14-341230	1/4 X2-1/2SELF-LOC ROLL PIN IM	(FA)
U14-341172	3/32X1-1/2SELF-LOC ROLL PIN IM	(BAA)	U14-341232	1/4 X3" SELF-LOC ROLL PIN IM	(FA)
U14-341173	1/8 X3/8 SELF-LOC ROLL PIN IM	(BAA)	U14-341234	5/16X3/4 SELF-LOC ROLL PIN IM	(CF)
U14-341174	1/8 X1/2 SELF-LOC ROLL PIN IM	(BAA)	U14-341236	5/16X1" SELF-LOC ROLL PIN IM	(CF)
U14-341176	1/8 X3/4 SELF-LOC ROLL PIN IM	(BAA)	U14-341238	5/16X1-1/4SELF-LOC ROLL PIN IM	(CF)
U14-341178	1/8 X1" SELF-LOC ROLL PIN IM	(BAA)	U14-341240	5/16X1-1/2SELF-LOC ROLL PIN IM	(CF)
U14-341180	1/8 X1-1/4SELF-LOC ROLL PIN IM	(BAA)	U14-341242	5/16X1-3/4SELF-LOC ROLL PIN IM	(CF)
U14-341182	1/8 X1-1/2SELF-LOC ROLL PIN IM	(BAA)	U14-341244	5/16X2" SELF-LOC ROLL PIN IM	(CF)
U14-341183	1/8 X2" SELF-LOC ROLL PIN IM	(BAA)	U14-341245	5/16X2-1/4SELF-LOC ROLL PIN IM	(CF)
U14-341184	5/32X1/2 SELF-LOC ROLL PIN IM	(BAA)	U14-341246	5/16X2-1/2SELF-LOC ROLL PIN IM	(CF)
U14-341186	5/32X3/4 SELF-LOC ROLL PIN IM	(BAA)	U14-341247	5/16X3" SELF-LOC ROLL PIN IM	(CF)
U14-341188	5/32X1" SELF-LOC ROLL PIN IM	(BAA)	U14-341248	3/8 X1" SELF-LOC ROLL PIN IM	(CF)
U14-341190	5/32X1-1/4SELF-LOC ROLL PIN IM	(BAA)	U14-341250	3/8 X1-1/4SELF-LOC ROLL PIN IM	(CF)
U14-341192	5/32X1-1/2SELF-LOC ROLL PIN IM	(BAA)	U14-341252	3/8 X1-1/2SELF-LOC ROLL PIN IM	(CF)
U14-341193	5/32X2" SELF-LOC ROLL PIN IM	(BAA)	U14-341254	3/8 X1-3/4SELF-LOC ROLL PIN IM	(CF)
U14-341194	3/16X1/2 SELF-LOC ROLL PIN IM	(BAA)	U14-341256	3/8 X2" SELF-LOC ROLL PIN IM	(CF)
U14-341196	3/16X3/4 SELF-LOC ROLL PIN IM	(BAA)	U14-341258	3/8 X2-1/2SELF-LOC ROLL PIN IM	(CF)
U14-341197	3/16X7/8 SELF-LOC ROLL PIN IM	(BAA)	U14-341260	3/8 X3" SELF-LOC ROLL PIN IM	(CF)
U14-341198	3/16X1" SELF-LOC ROLL PIN IM	(BAA)	U14-341262	3/8 X3-1/4SELF-LOC ROLL PIN IM	(BA)
U14-341200	3/16X1-1/4SELF-LOC ROLL PIN IM	(BAA)	U14-341270	1/2 X1-1/2SELF-LOC ROLL PIN IM	(BA)
U14-341202	3/16X1-1/2SELF-LOC ROLL PIN IM	(BAA)	U14-341274	1/2 X2" SELF-LOC ROLL PIN IM	(BA)
U14-341204	3/16X2" SELF-LOC ROLL PIN IM	(BAA)	U14-341276	1/2 X2-1/4SELF-LOC ROLL PIN IM	(BA)
			U14-341280	1/2 X3" SELF-LOC ROLL PIN IM	(BA)

ASSORTMENT: A01-590420



GLOBAL INDUSTRIAL PRODUCTS

GLOBAL

METRIC SLOTTED SPRING PINS




- Chamfered ends for easy insertion
- Carbon steel construction for superior strength
- Meet or exceed industry standards, B18.8.4M (metric) and ISO 8752 (metric).

PART #	DESCRIPTION	PACK
U09-302105	3 X 10MM METRIC ROLL PIN	(BAA)
U09-302120	3 X 20MM METRIC ROLL PIN	(BAA)
U09-302135	3 X 30MM METRIC ROLL PIN	(BAA)
U09-302144	3 X 40MM METRIC ROLL PIN	(BAA)
U09-302213	4 X 10MM METRIC ROLL PIN	(BAA)
U09-302228	4 X 20MM METRIC ROLL PIN	(BAA)
U09-302243	4 X 30MM METRIC ROLL PIN	(BAA)
U09-302252	4 X 40MM METRIC ROLL PIN	(FA)
U09-302327	5 X 10MM METRIC ROLL PIN	(BAA)
U09-302342	5 X 20MM METRIC ROLL PIN	(FA)
U09-302357	5 X 30MM METRIC ROLL PIN	(FA)
U09-302366	5 X 40MM METRIC ROLL PIN	(FA)
U09-302390	6 X 10MM METRIC ROLL PIN	(BAA)
U09-302405	6 X 20MM METRIC ROLL PIN	(FA)
U09-302420	6 X 30MM METRIC ROLL PIN	(FA)
U09-302429	6 X 40MM METRIC ROLL PIN	(FA)
U09-302462	8 X 10MM METRIC ROLL PIN	(FA)
U09-302477	8 X 20MM METRIC ROLL PIN	(FA)
U09-302482	8 X 30MM METRIC ROLL PIN	(CF)
U09-302501	8 X 40MM METRIC ROLL PIN	(CF)



GLOBAL HAMMERLOCK COTTER PINS



- Shanks Parallel and Points Tapered for Easy Installation
- Automatically Locks form One Hammer Blow
- **IMPRGNO-PLATED** for maximum protection against rust and corrosion

PART #	DESCRIPTION	PACK
U12-341724	1/16X1/2 HMERLOCK COTTER PIN	(FAA)
U12-341726	1/16X3/4 HMERLOCK COTTER PIN	(FAA)
U12-341730	1/16X1" HMERLOCK COTTER PIN	(FAA)
U12-341732	1/16X1-1/4 HMERLOCK COTTER PIN	(CFA)
U12-341734	1/16X1-1/2 HMERLOCK COTTER PIN	(CFA)
U12-341738	1/16X2" HMERLOCK COTTER PIN	(CFA)
U12-341740	3/32X3/4 HMERLOCK COTTER PIN	(FAA)
U12-341742	3/32X1" HMERLOCK COTTER PIN	(FAA)
U12-341744	3/32X1-1/4 HMERLOCK COTTER PIN	(CFA)
U12-341746	3/32X1-1/2 HMERLOCK COTTER PIN	(CFA)
U12-341747	3/32X2" HMERLOCK COTTER PIN	(CFA)
U12-341748	7/64X3/4 HMERLOCK COTTER PIN	(CFA)
U12-341749	7/64X1" HMERLOCK COTTER PIN	(CFA)
U12-341750	7/64X1-1/4 HMERLOCK COTTER PIN	(CFA)
U12-341751	7/64X1-1/2 HMERLOCK COTTER PIN	(CFA)
U12-341752	1/8 X3/4 HMERLOCK COTTER PIN	(CFA)
U12-341754	1/8 X1" HMERLOCK COTTER PIN	(CFA)
U12-341756	1/8 X1-1/4 HMERLOCK COTTER PIN	(CFA)
U12-341758	1/8 X1-1/2 HMERLOCK COTTER PIN	(CFA)
U12-341760	1/8 X2" HMERLOCK COTTER PIN	(CAA)
U12-341762	1/8 X2-1/2 HMERLOCK COTTER PIN	(BAA)
U12-341764	1/8 X3" HMERLOCK COTTER PIN	(BAA)
U12-341766	5/32X1" HMERLOCK COTTER PIN	(CAA)
U12-341768	5/32X1-1/4 HMERLOCK COTTER PIN	(CAA)
U12-341770	5/32X1-1/2 HMERLOCK COTTER PIN	(CAA)
U12-341772	5/32X2" HMERLOCK COTTER PIN	(CAA)
U12-341774	5/32X2-1/2 HMERLOCK COTTER PIN	(BAA)
U12-341776	5/32X3" HMERLOCK COTTER PIN	(BAA)

PART #	DESCRIPTION	PACK
U12-341778	3/16X1" HMERLOCK COTTER PIN	(BAA)
U12-341779	3/16X1-1/4 HMERLOCK COTTER PIN	(BAA)
U12-341780	3/16X1-1/2 HMERLOCK COTTER PIN	(BAA)
U12-341782	3/16X2" HMERLOCK COTTER PIN	(BAA)
U12-341790	3/16X2-1/2 HMERLOCK COTTER PIN	(BAA)
U12-341792	3/16X3" HMERLOCK COTTER PIN	(BAA)
U12-341794	3/16X3-1/2 HMERLOCK COTTER PIN	(BAA)
U12-341796	3/16X4" HMERLOCK COTTER PIN	(BAA)
U12-341798	1/4 X1-1/4 HMERLOCK COTTER PIN	(BAA)
U12-341800	1/4 X1-1/2 HMERLOCK COTTER PIN	(BAA)
U12-341802	1/4 X2" HMERLOCK COTTER PIN	(BAA)
U12-341804	1/4 X2-1/4 HMERLOCK COTTER PIN	(BAA)
U12-341806	1/4 X2-1/2 HMERLOCK COTTER PIN	(BAA)
U12-341810	1/4 X3" HMERLOCK COTTER PIN	(BAA)
U12-341812	1/4 X3-1/2 HMERLOCK COTTER PIN	(BAA)
U12-341814	1/4 X4" HMERLOCK COTTER PIN	(BAA)
U12-341815	1/4 X5" HMERLOCK COTTER PIN	(FA)
U12-341816	5/16X1-1/2 HMERLOCK COTTER PIN	(FA)
U12-341818	5/16X2" HMERLOCK COTTER PIN	(FA)
U12-341820	5/16X2-1/4 HMERLOCK COTTER PIN	(FA)
U12-341822	5/16X2-1/2 HMERLOCK COTTER PIN	(FA)
U12-341824	5/16X3" HMERLOCK COTTER PIN	(FA)
U12-341826	5/16X3-1/2 HMERLOCK COTTER PIN	(FA)
U12-341828	5/16X4" HMERLOCK COTTER PIN	(FA)
U12-341830	5/16X5" HMERLOCK COTTER PIN	(FA)
U12-341832	5/16X6" HMERLOCK COTTER PIN	(FA)

ASSORTMENTS: A01-590100 & A01-590110



GLOBAL



ASSORTMENT

STAINLESS COTTER PINS

- Extended prong type
- 18-8 Stainless Steel

PART #	DESCRIPTION	PACK	PART #	DESCRIPTION	PACK
U11-341832	1/16X3/4 STAINLESS COTTER PIN	(CFA)	U11-341858	5/32X1" STAINLESS COTTER PIN	(BAA)
U11-341834	1/16X1" STAINLESS COTTER PIN	(CFA)	U11-341860	5/32X1-1/2STAINLESS COTTER PIN	(FA)
U11-341836	1/16X1-1/4STAINLESS COTTER PIN	(CFA)	U11-341864	5/32X2" STAINLESS COTTER PIN	(FA)
U11-341838	1/16X1-1/2STAINLESS COTTER PIN	(CFA)	U11-341866	5/32X2-1/2STAINLESS COTTER PIN	(FA)
U11-341840	3/32X3/4 STAINLESS COTTER PIN	(CFA)	U11-341868	3/16X1" STAINLESS COTTER PIN	(FA)
U11-341842	3/32X1" STAINLESS COTTER PIN	(CFA)	U11-341870	3/16X1-1/2STAINLESS COTTER PIN	(FA)
U11-341844	3/32X1-1/2STAINLESS COTTER PIN	(BAA)	U11-341872	3/16X2" STAINLESS COTTER PIN	(FA)
U11-341846	3/32X2" STAINLESS COTTER PIN	(BAA)	U11-341874	3/16X2-1/2STAINLESS COTTER PIN	(CF)
U11-341847	1/8 X3/4 STAINLESS COTTER PIN	(BAA)	U11-341876	3/16X3" STAINLESS COTTER PIN	(CF)
U11-341848	1/8 X1" STAINLESS COTTER PIN	(BAA)	U11-341878	1/4 X1" STAINLESS COTTER PIN	(CF)
U11-341850	1/8 X1-1/2STAINLESS COTTER PIN	(BAA)	U11-341880	1/4 X1-1/2STAINLESS COTTER PIN	(CF)
U11-341852	1/8 X2" STAINLESS COTTER PIN	(FA)	U11-341882	1/4 X2" STAINLESS COTTER PIN	(CF)
U11-341854	1/8 X2-1/2STAINLESS COTTER PIN	(FA)	U11-341884	1/4 X2-1/2STAINLESS COTTER PIN	(CF)
U11-341856	1/8 X3" STAINLESS COTTER PIN	(FA)	U11-341886	1/4 X3" STAINLESS COTTER PIN	(CF)



HEAVY DUTY COTTER PINS

- Extended prong type
- Ends offset for easy locking

PART #	DESCRIPTION	PACK
U13-345210	3/8X2" HEAVY DUTY COTTER PN	(FA)
U13-345212	3/8X2-1/2 HEAVY DUTY COTTER PN	(FA)
U13-345214	3/8X3" HEAVY DUTY COTTER PN	(FA)
U13-345216	3/8X4" HEAVY DUTY COTTER PN	(FA)
U13-345218	3/8X5" HEAVY DUTY COTTER PN	(CF)
U13-345220	3/8X6" HEAVY DUTY COTTER PN	(CF)
U13-345222	1/2X3" HEAVY DUTY COTTER PN	(CF)
U13-345224	1/2X3-1/2 HEAVY DUTY COTTER PN	(CF)
U13-345226	1/2X4" HEAVY DUTY COTTER PN	(CF)
U13-345228	1/2X5" HEAVY DUTY COTTER PN	(CF)
U13-345230	1/2X6" HEAVY DUTY COTTER PN	(CF)
U13-545232	5/8X3-1/2 HEAVY DUTY COTTER PN	(BA)
U13-545234	5/8X4" HEAVY DUTY COTTER PN	(BA)
U13-545236	5/8X5" HEAVY DUTY COTTER PN	(BA)
U13-545238	5/8X6" HEAVY DUTY COTTER PN	(BA)



GLOBAL DOWEL PINS



- Heat treated precision ground Dowel Pins
- .0002 over basic size (std.)
- Rockwell “C” surface hardness 60 minimum
- Meets ANSI / ASME B 18.8.2

PART #	DESCRIPTION	PACK
U18-510208	1/8 X 1/2 GLOB. DOWEL PINS	(BAA)
U18-510210	1/8 X 5/8 GLOB. DOWEL PINS	(BAA)
U18-510212	1/8 X 3/4 GLOB. DOWEL PINS	(BAA)
U18-510214	1/8 X 7/8 GLOB. DOWEL PINS	(BAA)
U18-510216	1/8 X 1" GLOB. DOWEL PINS	(BAA)
U18-510220	1/8 X 1-1/4 GLOB. DOWEL PINS	(BAA)
U18-510224	1/8 X 1-1/2 GLOB. DOWEL PINS	(BAA)
U18-510228	1/8 X 1-3/4 GLOB. DOWEL PINS	(BAA)
U18-510232	1/8 X 2" GLOB. DOWEL PINS	(BAA)
U18-510308	3/16 X 1/2 GLOB. DOWEL PINS	(BAA)
U18-510310	3/16 X 5/8 GLOB. DOWEL PINS	(BAA)
U18-510312	3/16 X 3/4 GLOB. DOWEL PINS	(BAA)
U18-510314	3/16 X 7/8 GLOB. DOWEL PINS	(BAA)
U18-510316	3/16 X 1" GLOB. DOWEL PINS	(BAA)
U18-510320	3/16 X 1-1/4 GLOB. DOWEL PINS	(FA)
U18-510324	3/16 X 1-1/2 GLOB. DOWEL PINS	(FA)
U18-510328	3/16 X 1-3/4 GLOB. DOWEL PINS	(FA)
U18-510332	3/16 X 2" GLOB. DOWEL PINS	(FA)
U18-510408	1/4 X 1/2 GLOB. DOWEL PINS	(FA)
U18-510410	1/4 X 5/8 GLOB. DOWEL PINS	(FA)
U18-510412	1/4 X 3/4 GLOB. DOWEL PINS	(FA)
U18-510414	1/4 X 7/8 GLOB. DOWEL PINS	(FA)
U18-510416	1/4 X 1" GLOB. DOWEL PINS	(FA)
U18-510420	1/4 X 1-1/4 GLOB. DOWEL PINS	(FA)
U18-510424	1/4 X 1-1/2 GLOB. DOWEL PINS	(FA)
U18-510428	1/4 X 1-3/4 GLOB. DOWEL PINS	(FA)
U18-510432	1/4 X 2" GLOB. DOWEL PINS	(FA)
U18-510436	1/4 X 2-1/4 GLOB. DOWEL PINS	(CF)
U18-510440	1/4 X 2-1/2 GLOB. DOWEL PINS	(CF)
U18-510508	5/16 X 1/2 GLOB. DOWEL PINS	(FA)
U18-510510	5/16 X 5/8 GLOB. DOWEL PINS	(FA)
U18-510512	5/16 X 3/4 GLOB. DOWEL PINS	(FA)
U18-510514	5/16 X 7/8 GLOB. DOWEL PINS	(FA)
U18-510516	5/16 X 1" GLOB. DOWEL PINS	(FA)

PART #	DESCRIPTION	PACK
U18-510520	5/16 X 1-1/4 GLOB. DOWEL PINS	(FA)
U18-510524	5/16 X 1-1/2 GLOB. DOWEL PINS	(CF)
U18-510528	5/16 X 1-3/4 GLOB. DOWEL PINS	(CF)
U18-510532	5/16 X 2" GLOB. DOWEL PINS	(CF)
U18-510536	5/16 X 2-1/4 GLOB. DOWEL PINS	(CF)
U18-510540	5/16 X 2-1/2 GLOB. DOWEL PINS	(CF)
U18-510548	5/16 X 3" GLOB. DOWEL PINS	(BA)
U18-510608	3/8 X 1/2 GLOB. DOWEL PINS	(FA)
U18-510610	3/8 X 5/8 GLOB. DOWEL PINS	(FA)
U18-510612	3/8 X 3/4 GLOB. DOWEL PINS	(CF)
U18-510614	3/8 X 7/8 GLOB. DOWEL PINS	(CF)
U18-510616	3/8 X 1" GLOB. DOWEL PINS	(CF)
U18-510620	3/8 X 1-1/4 GLOB. DOWEL PINS	(CF)
U18-510624	3/8 X 1-1/2 GLOB. DOWEL PINS	(CF)
U18-510628	3/8 X 1-3/4 GLOB. DOWEL PINS	(CF)
U18-510632	3/8 X 2" GLOB. DOWEL PINS	(CF)
U18-510636	3/8 X 2-1/4 GLOB. DOWEL PINS	(BA)
U18-510640	3/8 X 2-1/2 GLOB. DOWEL PINS	(BA)
U18-510648	3/8 X 3" GLOB. DOWEL PINS	(BA)
U18-510716	7/16 X 1" GLOB. DOWEL PINS	(BA)
U18-510720	7/16 X 1-1/4 GLOB. DOWEL PINS	(BA)
U18-510724	7/16 X 1-1/2 GLOB. DOWEL PINS	(BA)
U18-510728	7/16 X 1-3/4 GLOB. DOWEL PINS	(BA)
U18-510732	7/16 X 2" GLOB. DOWEL PINS	(BA)
U18-510740	7/16 X 2-1/2 GLOB. DOWEL PINS	(BA)
U18-510748	7/16 X 3" GLOB. DOWEL PINS	(BA)
U18-510812	1/2 X 3/4 GLOB. DOWEL PINS	(BA)
U18-510816	1/2 X 1" GLOB. DOWEL PINS	(BA)
U18-510820	1/2 X 1-1/4 GLOB. DOWEL PINS	(BA)
U18-510824	1/2 X 1-1/2 GLOB. DOWEL PINS	(BA)
U18-510828	1/2 X 1-3/4 GLOB. DOWEL PINS	(BA)
U18-510832	1/2 X 2" GLOB. DOWEL PINS	(BA)
U18-510836	1/2 X 2-1/4 GLOB. DOWEL PINS	(BA)
U18-510840	1/2 X 2-1/2 GLOB. DOWEL PINS	(BA)
U18-510848	1/2 X 3" GLOB. DOWEL PINS	(BA)



GLOBAL

Adjustable Clevis Pins

PART #	DESCRIPTION	PACK
U15-365050	3/16X2" CLEVIS PIN - ADJUSTBLE	(BA)
U15-365052	3/16X3" CLEVIS PIN - ADJUSTBLE	(BA)
U15-365054	1/4 X2" CLEVIS PIN - ADJUSTBLE	(BA)
U15-365056	1/4 X3" CLEVIS PIN - ADJUSTBLE	(BA)
U15-365058	5/16X2" CLEVIS PIN - ADJUSTBLE	(BA)
U15-365060	5/16X3" CLEVIS PIN - ADJUSTBLE	(BA)
U15-365062	3/8 X2" CLEVIS PIN - ADJUSTBLE	(BA)
U15-365064	3/8 X3" CLEVIS PIN - ADJUSTBLE	(F)
U15-365066	7/16X2" CLEVIS PIN - ADJUSTBLE	(F)
U15-365068	7/16X3" CLEVIS PIN - ADJUSTBLE	(F)
U15-365070	1/2 X2" CLEVIS PIN - ADJUSTBLE	(F)
U15-365072	1/2 X3" CLEVIS PIN - ADJUSTBLE	(F)
U15-365074	5/8 X2" CLEVIS PIN - ADJUSTBLE	(C)
U15-365076	5/8 X3" CLEVIS PIN - ADJUSTBLE	(C)


ASSORTMENT



- A quick replacement pin
- Features a series of holes making it adaptable to varying lengths
- Use the diameter that fits your application and cut off the excess length
- Easily replaces bolts, cotter pins or rivets on all types of equipment.

CLEVIS SAE STANDARDS (FEMALE)

PART #	DESCRIPTION	PACK
U15-266114	1/4" CLEVIS W/FEMALE THREAD	(F)
U15-266115	5/16" CLEVIS W/FEMALE THREAD	(F)
U15-266116	3/8" CLEVIS W/FEMALE THREAD	(F)
U15-266117	7/16" CLEVIS W/FEMALE THREAD	(B)
U15-266118	1/2" CLEVIS W/FEMALE THREAD	(B)
U15-266120	5/8" CLEVIS W/FEMALE THREAD	(B)



- Forged steel construction.
- Zinc-plated for corrosion resistance.



GLOBAL INDUSTRIAL PRODUCTS

GLOBAL HAIRPINS

ASSORTMENT

Hairpin Cotter (Bridge Pins)




- Reusable and ideal for quick assembly and disassembly applications.
- Available in high quality, zinc plated 1050 spring wire for strength, security and corrosion resistance.

PART #	LENGTH	Wire Dia.	for Shaft size	PACK
U17-365000	19/32 HAIRPIN	0.030	1/8	(BAA)
U17-365002	15/16 HAIRPIN	0.042	3/16 - 1/4	(BAA)
U17-365004	1-1/8 HAIRPIN	0.059	1/4 - 5/16	(FA)
U17-365006	1-7/16 HAIRPIN	0.073	5/16 - 3/8	(FA)
U17-365008	1-7/8 HAIRPIN	0.092	3/8 - 7/16	(FA)
U17-365010	2-3/8 HAIRPIN	0.120	1/2 - 5/8	(CF)
U17-365012	2-11/16 HAIRPIN	0.148	5/8 - 3/4	(CF)
U17-365014	3-9/16 HAIRPIN	0.178	7/8 - 1"	(BA)
U17-365016	5" HAIRPIN	0.243	1-1/8 - 1-1/2	(BA)

Hairpin Clips



- Hundreds of uses can be found on small and large equipment with shaft sizes from 1/8 to 1"
- Clips require a groove to accommodate the wire diameter as listed in the chart
- Made from 1050 steel spring wire



PART #	for Shaft size	(B)	(C)	(D)	Wire Dia.	PACK
U17-372301	1/8	1/16	5/64	5/16	0.029	(BAA)
U17-372302	3/16	7/64	9/64	1/2	0.031	(BAA)
U17-372303	1/4	1/8	7/32	5/8	0.033	(BAA)
U17-372304	5/16	1/8	1/4	3/4	0.048	(BAA)
U17-372305	3/8	3/16	5/16	31/32	0.052	(BAA)
U17-372306	7/16	7/32	3/8	1-1/8	0.055	(BAA)
U17-372307	1/2	1/4	7/16	1-1/8	0.064	(BAA)
U17-372308	5/8	5/16	17/32	1-1/2	0.087	(FA)
U17-372309	3/4	3/8	21/32	1-13/16	0.093	(FA)
U17-372310	7/8	7/16	25/32	2-5/64	0.105	(FA)
U17-372311	1"	1/2	7/8	2-9/32	0.125	(CF)



GLOBAL

PINS



Hitch Pins

- High Shear Strength material
- Easy swivel-grip pull ring and a high tension hairpin cotter
- Made of a medium carbon steel - hardened to a Rockwell core hardness of Rc 25-34
- Zinc Plated with a Yellow Dichromate dip for CORROSION RESISTANCE.

PART #	DESCRIPTION	PACK
U16-565000	1/2 X6-1/2 GLOBALLOY HITCH PIN	(C)
U16-565002	5/8 X6-1/2 GLOBALLOY HITCH PIN	(C)
U16-565004	3/4 X7" GLOBALLOY HITCH PIN	(B)
U16-565006	7/8 X8 GLOBALLOY HITCH PIN	(B)
U16-565008	1" X8" GLOBALLOY HITCH PIN	(B)
U16-565010	1-1/8X7-3/4 GLOBALLOY HITCH PIN	(B)
U16-565012	1-1/4X7-3/4 GLOBALLOY HITCH PIN	(B)



Lynch Pins

- One of the finest quick disconnect fasteners available.
- Forged for maximum strength
- Zinc Electroplated and Dichromate dipped for corrosion resistance.
- The design of the self-locking ring allows the pin to be securely held in place and provides an easy grip for quick removal.
- Pins are manufactured of 1010 steel with a Rockwell hardness of Ra 50-60. Rings are of hot drawn spring steel with a Rockwell hardness of Rc 47-48.

PART #	DESCRIPTION	PACK
U16-565021	1/4 X 1-11/16 LYNCH PIN	(B)
U16-565023	5/16 X 1-11/16 LYNCH PIN	(B)
U16-565025	7/16 X 1-7/8 LYNCH PIN	(B)



Snapper Pins

- Popular, quick connect and disconnect pins find many uses on equipment and shafts up to 2-1/2" in diameter.
- The retainer wire is formed of tempered M-B spring wire and the cold-headed shank is of 1010 carbon steel.
- Entire assembly is zinc plated.

PART #	DESCRIPTION	PACK
U16-565225	1/4 X 2-3/4 SNAPPER PIN	(B)
U16-565232	5/16 X 2-3/4 SNAPPER PIN	(B)
U16-565238	3/8 X 2-3/4 SNAPPER PIN	(B)

